Dukkaboard®



The Knowledge Network

Technical information, support and installation guides from the expert team at Dukkaboard




























Dukkaboard Telephone 08701 271300 support@dukkaboard.com www.dukkaboard.com

Issue DPG 3 06.15





DUKKABOAF

Dukkaboard®



Dukkaboard Key Features

Moisture and rot proof

Dukkaboard is a fully waterproof system that creates the perfect solution for bathrooms, showers and wetrooms.



Exceptional stability

Dukkaboard eliminates the common causes of tile failure associated with Plasterboard, MDF, Chipboard and Plywood.



High thermal insulation

Dukkaboard panels and shower trays substantially reduce heat loss therefore are a great solution for use with underfloor heating.



Lightweight and workable

Easier and faster to work with than all other types of building board.



Replaces wet finishes

Can be used in place of floor screeds and rendered or plastered wall finishes, fast-tracking tiling and saving costs.



Unlimited Creativity

Dukkaboard products allow creative freedom when constructing features and structures.



25 Year Guarantee

Dukkaboard comes with a 25 year warranty on all system installations that have been carried out in accordance with the Dukkaboard installation guidelines.



Dedicated Technical Support

Dukkaboard is supported by The Knowledge Network – Offering - technical information, support and installation guides.



Cost Effective Solution

Inexpensive to buy, fast to install.



Dukkaboard®

Confidence through quality

To underline the supreme quality of the Dukkaboard range of products, Dukkaboard comes with a 25 year warranty on all system installations that have been carried out in accordance with the Dukkaboard installation guidelines.



Dukkaboard XL Overview

Dukkaboard XL range consists of a premium quality cement fibre tile backer board and a comprehensive selection of accessories, used for over boarding chipboard, plywood, concrete and other stable surfaces.

Application


Dukkaboard XL provides the perfect substrate for all tile finishes including the heaviest of natural stone.

Dukkaboard XL stops loose or cracked tiles, stained grout and rotten substrates.

It is also incombustible and asbestos free.

Accessories

The XL range of accessories includes specially designed countersinking screws for quick and easy installation, a specially formulated polyurethane adhesive for an exceptionally strong bond, primer for use on newly laid boards and a tungsten carbide tipped cutting knife for rapid and accurate cuts.



42






Dukkaboard XL Panels

Dukkaboard XL Panel is a premium quality cement board ideal for over boarding chipboard, concrete and stable timber floors.

- Provides a perfect substrate for all tile finishes including the heaviest of natural stone
- Ideal for overlaying timber floors where wet underfloor heating is already fitted below the flooring timber

PRODUCT CODE	LENGTH (MM)	WIDTH (MM)	THICKNESS (MM)
DP-XL-1206	1200	600	6
DP-XL-1212	1200	600	12



4





Dukkaboard XL Adhesive

Dukkaboard XL adhesive is a polyurethane moisture-curing adhesive that is impervious once fully cured.

Bonds to most common building materials including timber and concrete.

Dukkaboard XL adhesive expands slightly on application / filling small gaps to increase bond strength.

PRODUCT	SIZE
CODE	(ML)
DP-XL-0010	310





Dukkaboard XL Primer

Dukkaboard XL Primer is a water based surface isolation treatment product, that develops an isolating, cohesive film, which neutralises the expansive chemical reaction of gypsum and anhydrite substrates in contact with mineral mortars and adhesives.

- Ideal for timber and particularly suitable for plaster based substrates
- Solvent free
- Suitable for use with heated substrates

PRODUCT CODE	SIZE (KG)
DP-XL-0015	1
DP-XL-0020	5







Self countersinking zinc plated screws for the quick and easy installation of Dukkaboard XL panels.

- Pozi No 2 head
- Self drilling

PRODUCT CODE	SIZE (MM)	BOX QTY
DP-XL-0025	25	500
DP-XL-0030	30	500

Tungsten carbide tipped cutting knife for rapid and accurate cuts.

- Professional grade
- Tungsten coated
- Reversible blade with 2 scoring tips

PRODUCT CODE	SIZE (MM)	
DP-XI-0035	190	

