Document No. RM.DOP.v1.0

Declaration of Performance in accordance with Annex 111 of Regulation (EU) No. 305/2011

Revision Date: 01/11/18

Python RM



1. Unique identification code of the product type:

Python RM

2. Batch / serial No. identifying the construction product as required under Article 11(4) NB.

Batch number is printed on the side of the pack with date of manufacture.

3. Intended use in accordance with the harmonised standard

Normal dispersion adhesive with reduced slip and extended open time.

4. Name & contact address of the Manufacturer

Python Adhesives Ltd

Teardrop Centre, London Road, Swanley, London, BR8 8TS

5. Name & contact address of the authorised representative whose mandate covers tasks specified in Article 12(2)

Not applicable

6. System of assessment & verification of constancy of performance as set out in Annex V

System 3 + 4

7. Harmonised EN Standard

The notified body Ceram, No. 1289 has carried out initial type testing to System 3 and issued Test report No. (124246) - 19865

8. Declared Performance: To harmonised technical specification: BSEN 12004:2007+A1:2012

Essential characteristics	Performance
Bond strength as:	2.4 N/mm²
Durability for shear Adhesion: • After heat ageing	2.4 N/mm²
Tensile adhesion strength: • After not less than 20 min	0.6 N/mm²
Reaction to Fire	Class E WFT
Release of dangerous substances	See MSDS

CLASSIFICATION - D1 TE

9. Declaration

The performance of the product identified in items 1 and 2 in conformity with the declared performance set out in item 9. The manufacturer as defined in number 4 is solely responsible for drawing up this declaration of performance.

Signed for on behalf of Python Adhesives Ltd by:

Ray Kingston

Technical Support Representative