


**GET A GRIP!**

**PYTHON**  
ADHESIVES

Document No. SA.DOP.v1.0
DECLARATION OF PERFORMANCE in accordance with Annex III of the Regulation (EU) No.305/2011
Revision Date: 01/11/18
Python SA

<b>1. Unique identification code of the product type:</b>		
Python SA		
<b>2. Batch / serial No. identifying the construction product as required under Article 11(4) NB.</b>		
Batch number is printed on the side of the pack with date of manufacture.		
<b>3. Intended use in accordance with the harmonised standard</b>		
One component silicone sealant, acetate based curing; Sealant for non-structural use: sanitary type S (XS1)		
<b>4. Name &amp; contact address of the Manufacturer</b>		
Python Adhesives Ltd Teardrop Centre, London Road, Swanley, London, BR8 8TS		
<b>5. Name &amp; contact address of the authorised representative whose mandate covers tasks specified in Article 12(2)</b>		
Not applicable		
<b>6. System of assessment &amp; verification of constancy of performance as set out in Annex V</b>		
System 3 + 3		
<b>7. Harmonised EN Standard</b>		
MPA Dortmund NB-No. 0432 performed initial type testing under system 3 and issued the test-report.		
<b>8. Declared Performance: To harmonised technical specification: EN 15651-1: 2012-12</b>		
Essential characteristics	Performance	Harmonised technical specification
Fire behaviour (EN 13501)	Class E	EN 15651-1: 2012-12
Dangerous substances (see Material Safety Data Sheet)	assessed	
Resistance to flow (EN ISO 7390)	≤ 3 mm	
Loss of volume (EN ISO 10563)	≤ 10 %	EN 15651-2: 2012-12
Adhesion/cohesion properties at 100% extension after immersion into water (EN ISO 8340)	no failure	
Adhesion/cohesion properties after exposure to light (EN ISO 11431)	no failure	
Elastic recovery (EN ISO 7389)	≥ 70 %	EN 15651-3: 2012-12
Tensile properties at -30°C (EN ISO 8339)	≤ 0,9 MPa	
Tensile properties at 100% ext., at -30°C (EN ISO 8340)	no failure	
Resistance to microorganism (ISO 846)	0 or 1	
Durability (EN ISO 8339, EN ISO 10590)	no failure	
<b>Pre-treatment: procedure B; substrate: glass, aluminium, mortar M1; without primer</b>		
<b>9. Declaration</b>		
The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.		
<b>Signed for on behalf of Python Adhesives Ltd by:</b>		
 Ray Kingston Technical Support Representative		